



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,739	09/12/2003	Mark D. Laird	NEST-010AX	8290

207 7590 01/26/2005

WEINGARTEN, SCHURGIN, GAGNEBIN & LEOVICI LLP  
TEN POST OFFICE SQUARE  
BOSTON, MA 02109

EXAMINER
----------

THANGAVELU, KANDASAMY

ART UNIT	PAPER NUMBER
----------	--------------

2123

DATE MAILED: 01/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Applicati n No.</b>	<b>Applicant(s)</b>	
	10/661,739	LAIRD ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Kandasamy Thangavelu	2123	

**-- The MAILING DATE f this communication appears on the cover sheet with the corresp ndence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 12 September 2003.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-84 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3,5-17,19-55,57-70 and 72-84 is/are rejected.
- 7) ☒ Claim(s) 4,18,56 and 71 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |  |
|---|--|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)              |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>15 December 2003</u> . | 6) <input type="checkbox"/> Other: _____.  |

## **DETAILED ACTION**

### ***Introduction***

1. This communication is in response to the Applicants' Amendment dated November 2, 2004. Claims 1-84 of the application are pending. This office action is made final.

### ***Information Disclosure Statement***

2. Acknowledgment is made of the information disclosure statement filed on December 15, 2003 together with copies of the patents and papers. The patents and papers have been considered in reviewing the claims.

### ***Terminal Disclosure not Proper***

3. The terminal disclaimer filed on 4 November 2004 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of 6,281,808 has been reviewed and is NOT accepted.

The terminal disclaimer does not comply with 37 CFR 1.321(b) and/or (c) because:

Art Unit: 2123

The person who has signed the disclaimer has not stated the extent of his/her interest, or the business entity's interest, in the application/patent. See 37 CFR 1.321(b)(3).

### ***Drawings***

4. The drawings filed on September 12, 2003 are accepted.

### ***Double Patenting***

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Art Unit: 2123

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

6. Claim 1 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 1, 2 and 14 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 1 teaches a system for detecting a violation of a traffic signal at an intersection comprising the steps of:

- a virtual violation line interface for receiving from a user data defining a virtual violation line that corresponds to a location at the intersection that if crossed by a vehicle entering the intersection during a red light phase of the traffic signal, is indicative of a violation of the traffic signal by the vehicle;

- a storage device for storing a representation of the intersection and the virtual violation line;

- at least one camera for capturing at least one image of a vehicle at the intersection;

- a processing unit operative to:

- analyze the at least one image to identify a position of the vehicle with respect to the virtual violation line,

- compare the position of the vehicle to the virtual violation line, and generate an indication of a violation in the event the processing unit determines that the position of the

Art Unit: 2123

vehicle is beyond the location and that the vehicle has traveled into the intersection during the red light phase of the traffic signal.

Claim 1 of the '808 patent teaches a system for detecting a violation of a traffic signal at an intersection;

defining a virtual violation line that corresponds to a location at the intersection that if crossed by a vehicle entering the intersection during a red light phase of the traffic signal, is indicative of a violation of the traffic signal by the vehicle;

a processing unit operative to:

analyze the at least one image to identify a position of the vehicle with respect to the virtual violation line,

compare the position of the vehicle to the virtual violation line, and generate an indication of a violation in the event the processing unit determines that the position of the vehicle is beyond the location and that the vehicle has traveled into the intersection during the red light phase of the traffic signal.

Claim 1 of the '808 patent does not teach a virtual violation line interface for receiving from a user data defining a virtual violation line; a storage device for storing a representation of the intersection and the virtual violation line; and at least one camera for capturing at least one image of a vehicle at the intersection. '808 patent teaches a virtual violation line interface for receiving from a user data defining a virtual violation line (CL6, L11-13). Claim 14 of the '808 patent teaches a storage device for storing a representation of the intersection and the virtual violation line; Claim 2 of the '808 patent teaches at least one camera for capturing at least one

Art Unit: 2123

image of a vehicle at the intersection. It would have been obvious to one of ordinary skill in the art to arrive at Claim 1 of the application from the elements of claim 1, 14 and 2 of the '808 patent and the description of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them and adding some limitations taken from the description.

7. Claim 2 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 1, 14 and 2 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 2 teaches the system of claim 1, wherein the at least one camera is further operative to capture a plurality of images of the vehicle approaching the intersection; and

the processing unit is operative to analyze the plurality of images of the vehicle and to generate a prediction signal in the event it is determined by the processing unit that the vehicle is likely to violate the red light phase of the traffic signal.

Claim 1 of the '808 patent teaches the at least one violation prediction image capturing device is further operative to capture a plurality of images of the vehicle approaching the intersection; and

the processing unit is operative to analyze the plurality of images of the vehicle and to generate a prediction signal in the event it is determined by the processing unit that the vehicle is likely to violate the red light phase of the traffic signal.

Claim 1 of the '808 patent does not expressly teach that the at least one violation prediction image capturing device is at least one camera. Claim 2 of the '808 patent teaches that

Art Unit: 2123

the at least one violation prediction image capturing device is at least one camera. It would have been obvious to one of ordinary skill in the art to arrive at Claim 2 of the application from the elements of claims 1, 14 and 2 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

8. Claim 3 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 1, 14 and 2 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 3 teaches the system of claim 1, further including an additional signaling device for cross traffic approaching the intersection from a direction other than the vehicle, the additional signaling device responsive to the prediction signal for signaling the cross traffic not to enter the intersection.

Claim 1 of the '808 patent teaches the system of claim 1, further including an additional signaling device for cross traffic approaching the intersection from a direction other than the vehicle, the additional signaling device responsive to the prediction signal for signaling the cross traffic not to enter the intersection. It would have been obvious to one of ordinary skill in the art to arrive at Claim 3 of the application from the elements of claims 1, 14 and 2 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

9. Claims 5-14 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 1, 14, 2-4 and 7-12 of U.S. Patent No. 6,281,808.



Art Unit: 2123

Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 5-14 depend on the independent claim 1 and then include various limitations in the dependent claims. The independent claim 1 is taught by claims 1, 14 and 2 of the '808 patent as discussed in Paragraph 6 above. The limitations in claims 5-14 are same or paraphrased variations of the limitations in claims 2-4 and 7-12 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 5-14 of the application from the elements of claims 1, 14, and claims 2-4 and 7-12 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

10. Claim 15 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 18 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 15 teaches a method for detecting a violation of a traffic signal comprising the steps of:

storing in a storage device a representation of a traffic intersection, the representation of the intersection including a virtual violation line corresponding to a location at the intersection that if crossed by a vehicle entering the intersection during a red light phase of the traffic signal, is indicative of a violation of the traffic signal by the vehicle, the location of the virtual violation line with respect to the intersection being user configurable;

capturing at least one image showing the vehicle at the intersection;

Art Unit: 2123

analyzing the at least one image of the vehicle at the intersection to ascertain a position of the vehicle with respect to the location corresponding to the virtual violation line; and

generating an output indicative of a violation of a red light phase of the traffic signal in the event the analyzing step indicates that the vehicle has traveled beyond the location corresponding to the virtual violation line and into the intersection during the red light phase of the traffic signal.

Claim 18 of the '808 patent teaches a method for detecting a violation of a traffic signal; storing in a storage device a representation of a traffic intersection, the representation of the intersection including a virtual violation line corresponding to a location at the intersection that if crossed by a vehicle entering the intersection during a red light phase of the traffic signal, is indicative of a violation of the traffic signal by the vehicle;

capturing at least one image showing the vehicle at the intersection;

analyzing the at least one image of the vehicle at the intersection to ascertain a position of the vehicle with respect to the location corresponding to the virtual violation line;

generating an output indicative of a violation of a red light phase of the traffic signal in the event the analyzing step indicates that the vehicle has traveled beyond the location corresponding to the virtual violation line and into the intersection during the red light phase of the traffic signal.

Claim 18 of the '808 patent does not teach the location of the virtual violation line with respect to the intersection being user configurable. '808 patent teaches the location of the virtual violation line with respect to the intersection being user configurable (CL6, L11-13). It would

Art Unit: 2123

have been obvious to one of ordinary skill in the art to arrive at Claim 15 of the application from the elements of claim 18 and the description of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them and adding some limitations taken from the description.

11. Claim 16 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 18 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 16 teaches the method of claim 15, further comprising the steps of:  
capturing a plurality of images showing the vehicle approaching the traffic signal; and  
generating a prediction signal responsive to the plurality of images, and an indication of a current traffic signal light phase, in response to a determination that the vehicle is likely to violate the red light phase of the traffic signal.

Claim 18 of the '808 patent teaches capturing a plurality of images showing the vehicle approaching the traffic signal; and

generating a prediction signal responsive to the plurality of images, and an indication of a current traffic signal light phase, in response to a determination that the vehicle is likely to violate the red light phase of the traffic signal, using somewhat different language. It would have been obvious to one of ordinary skill in the art to arrive at Claim 16 of the application from the elements of claim 18, since it requires only rearranging the limitations involved and paraphrasing them.

Art Unit: 2123

12. Claim 17 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 18 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 17 teaches the method of claim 16, further including the step of signaling cross traffic approaching the intersection from a direction other than the vehicle not to enter the intersection responsive to the prediction signal.

Claim 18 of the '808 patent teaches the method of claim 16, further including the step of signaling cross traffic approaching the intersection from a direction other than the vehicle not to enter the intersection responsive to the prediction signal, using somewhat different language. It would have been obvious to one of ordinary skill in the art to arrive at Claim 17 of the application from the elements of claim 18 and the description of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them and adding some limitations taken from the description.

13. Claims 19-28 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 19-30 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 19-28 depend on the independent claim 15 and then include various limitations in the dependent claims. The independent claim 15 is taught by claim 18 and the descriptions of the

Art Unit: 2123

'808 patent as discussed in Paragraph 10 above. The limitations in claims 19-28 are same or paraphrased variations of the limitations in claims 19-30 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 19-28 of the application from the elements of claims 18-30 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

14. Claim 29 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 1 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 29 teaches a collision avoidance system for a first traffic signal having a current light phase equal to one of the set consisting of at least red and green and a second traffic signal having a current light phase equal to one of the set consisting of at least red and green, comprising:

- at least one violation image capturing device;

- a plurality of showing at least one vehicle approaching the first traffic signal, the images derived from an output of the violation image capturing device;

- a processing unit responsive to the plurality of images and an indication of the current first traffic signal light phase, for generating at least one violation prediction for the at least one vehicle approaching the first traffic signal, the violation prediction indicating a likelihood that the at least one vehicle approaching the first traffic signal will violate an upcoming red light phase of the first traffic signal;

Art Unit: 2123

a collision avoidance unit responsive to the violation prediction, for asserting at least one violation predicted signal; and

a traffic light controller for the second traffic signal for controlling the second traffic signal responsive to the violation predicted signal in order to signal traffic approaching the second traffic signal not to enter the intersection;

the processing unit further operative to, maintain a virtual violation line, derive a position of the at least one vehicle from at least one of the plurality of images, compare the position of the vehicle to the virtual violation line, and generate a confirmation signal indicative of a red light violation in response to a determination that the at least one vehicle has crossed the virtual violation line during the red light phase of the first traffic signal.

Claim 1 of the '808 patent teaches a collision avoidance system for a first traffic signal having a current light phase equal to one of the set consisting of at least red and green and a second traffic signal having a current light phase equal to one of the set consisting of at least red and green, comprising:

at least one violation image capturing device;

a plurality of showing at least one vehicle approaching the first traffic signal, the images derived from an output of the violation image capturing device;

a processing unit responsive to the plurality of images and an indication of the current first traffic signal light phase, for generating at least one violation prediction for the at least one vehicle approaching the first traffic signal, the violation prediction indicating a likelihood that

Art Unit: 2123

the at least one vehicle approaching the first traffic signal will violate an upcoming red light phase of the first traffic signal;

a collision avoidance unit responsive to the violation prediction, for asserting at least one violation predicted signal; and

a traffic light controller for the second traffic signal for controlling the second traffic signal responsive to the violation predicted signal in order to signal traffic approaching the second traffic signal not to enter the intersection;

the processing unit further operative to, maintain a virtual violation line, derive a position of the at least one vehicle from at least one of the plurality of images, compare the position of the vehicle to the virtual violation line, and generate a confirmation signal indicative of a red light violation in response to a determination that the at least one vehicle has crossed the virtual violation line during the red light phase of the first traffic signal, using somewhat different language.

It would have been obvious to one of ordinary skill in the art to arrive at Claim 29 of the application from the elements of claim 1 of the '808 patent and the description of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

15. Claims 30-43 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 2-12, 14, 15 and 17 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.



Art Unit: 2123

Claims 30-43 depend on the independent claim 29 and then include various limitations in the dependent claims. The independent claim 29 is taught by claim 1 of the '808 patent as discussed in Paragraph 14 above. The limitations in claims 30-43 are same or paraphrased variations of the limitations in claims 2-12, 14, 15 and 17 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 30-43 of the application from the elements of claims 2-12, 14, 15 and 17 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

16. Claim 44 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 18 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 44 teaches a method of collision avoidance at an intersection for a first traffic signal having a current light phase equal to one of the set consisting of at least red and green and a second traffic signal having a current light phase equal to one of the set consisting of at least red and green, comprising:

capturing a plurality of images showing at least one vehicle approaching the first traffic signal, the images derived from an output of a violation image capturing device;

maintaining at least one virtual violation line at an intersection for the at least one vehicle approaching the first traffic signal;

generating, responsive to the plurality of images and an indication of the current first traffic signal light phase, at least one violation prediction for the at least one vehicle approaching



Art Unit: 2123

the first traffic signal, the violation prediction indicating a likelihood that the at least one vehicle approaching the first traffic signal will violate an upcoming red light phase of the first traffic signal;

asserting, responsive to the violation prediction, at least one violation predicted signal coupled to the second traffic signal;

controlling, responsive to the violation predicted signal, the second traffic signal in order to signal traffic approaching the second traffic signal not to enter the intersection;

generating from at least one of the plurality of images a location of the at least one vehicle with respect to the virtual violation line;

comparing the location of the at least one vehicle to a position defined by the virtual violation line; and

generating an output indicative of a red light violation of the first traffic signal in the event the location of the vehicle is determined to be beyond the position of the virtual violation line within the intersection during the red light phase of the first traffic signal.

Claim 18 of the '808 patent teaches a method of collision avoidance at an intersection for a first traffic signal having a current light phase equal to one of the set consisting of at least red and green and a second traffic signal having a current light phase equal to one of the set consisting of at least red and green, comprising:

capturing a plurality of images showing at least one vehicle approaching the first traffic signal, the images derived from an output of a violation image capturing device;

Art Unit: 2123

maintaining at least one virtual violation line at an intersection for the at least one vehicle approaching the first traffic signal;

generating, responsive to the plurality of images and an indication of the current first traffic signal light phase, at least one violation prediction for the at least one vehicle approaching the first traffic signal, the violation prediction indicating a likelihood that the at least one vehicle approaching the first traffic signal will violate an upcoming red light phase of the first traffic signal;

asserting, responsive to the violation prediction, at least one violation predicted signal coupled to the second traffic signal;

controlling, responsive to the violation predicted signal, the second traffic signal in order to signal traffic approaching the second traffic signal not to enter the intersection;

generating from at least one of the plurality of images a location of the at least one vehicle with respect to the virtual violation line;

comparing the location of the at least one vehicle to a position defined by the virtual violation line; and

generating an output indicative of a red light violation of the first traffic signal in the event the location of the vehicle is determined to be beyond the position of the virtual violation line within the intersection during the red light phase of the first traffic signal, using somewhat different language.

Art Unit: 2123

It would have been obvious to one of ordinary skill in the art to arrive at Claim 44 of the application from the elements of claim 18 of the '808 patent and the description of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

17. Claims 45-54 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 19, 20 and 24-31 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claims 45-54 depend on the independent claim 44 and then include various limitations in the dependent claims. The independent claim 44 is taught by claim 18 of the '808 patent as discussed in Paragraph 16 above. The limitations in claims 45-54 are same or paraphrased variations of the limitations in claims 19, 20 and 24-31 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 45-54 of the application from the elements of claims 19, 20 and 24-31 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

18. Claim 55 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 18 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 55 teaches a method of avoiding collisions at an intersection, comprising:  
receiving data defining a virtual violation line from a user, the virtual violation line corresponding to a location at the intersection;

Art Unit: 2123

storing a representation of the intersection and the virtual violation line;  
capturing images of a vehicle approaching the traffic signal at the intersection;  
analyzing the images to determine whether the vehicle is likely, during an upcoming red light phase of the traffic signal, to cross the virtual violation line; and  
upon determining that the vehicle is likely to cross the virtual violation line during the upcoming red light phase of the traffic signal, generating a signal operative to control an indicator to warn cross traffic approaching the intersection not to enter the intersection.

Claim 18 of the '808 patent teaches a method of avoiding collisions at an intersection, comprising:

the virtual violation line corresponding to a location at the intersection;  
storing a representation of the intersection and the virtual violation line;  
capturing images of a vehicle approaching the traffic signal at the intersection;  
analyzing the images to determine whether the vehicle is likely, during an upcoming red light phase of the traffic signal, to cross the virtual violation line; and  
upon determining that the vehicle is likely to cross the virtual violation line during the upcoming red light phase of the traffic signal, generating a signal operative to control an indicator to warn cross traffic approaching the intersection not to enter the intersection.

Claim 18 of the '808 patent does not teach receiving data defining a virtual violation line from a user. '808 patent teaches receiving data defining a virtual violation line from a user (CL6, L11-13). It would have been obvious to one of ordinary skill in the art to arrive at Claim 55 of

Art Unit: 2123

the application from the elements of claim 18 and the description of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them and adding some limitations taken from the description.

19. Claims 57-66 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 19-28 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 57-66 depend on the independent claim 55 and then include various limitations in the dependent claims. The independent claim 55 is taught by claim 18 and the descriptions of the '808 patent as discussed in Paragraph 18 above. The limitations in claims 57-66 are same or paraphrased variations of the limitations in claims 19-28 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 57-66 of the application from the elements of claims 19-28 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

20. Claims 67-69 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 18 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 67-69 depend on the independent claim 55 and then include various limitations in the dependent claims. The independent claim 55 is taught by claim 18 and the descriptions of the '808 patent as discussed in Paragraph 18 above. The limitations in claims 67-69 are taught at

Art Unit: 2123

CL5, L65 to CL6, L1 and Cl6, L14-15 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 67-69 of the application from the elements of claim 55 and the descriptions of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them and adding some limitations from the description.

21. Claim 70 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 1, 14 and 2 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 70 teaches a system for avoiding collisions at an intersection, comprising:

- a virtual violation line interface for receiving data defining a virtual violation line from a user, the virtual violation line corresponding to a location at the intersection;
- a storage device for storing a representation of the intersection and the virtual violation line;
- at least one camera for capturing images of a vehicle approaching the traffic signal at the intersection; and
- a processing unit operative: (1) to analyze the images to determine whether the vehicle is likely, during an upcoming red light phase of the traffic signal, to cross the virtual violation line, and (2) upon determining that the vehicle is likely to cross the virtual violation line during the upcoming red light phase of the traffic signal, to generate a signal operative to control an indicator to warn cross traffic approaching the intersection not to enter the intersection.

Art Unit: 2123

Claim 1 of the '808 patent teaches a system for avoiding collisions at an intersection; the virtual violation line corresponding to a location at the intersection; a processing unit operative: (1) to analyze the images to determine whether the vehicle is likely, during an upcoming red light phase of the traffic signal, to cross the virtual violation line, and (2) upon determining that the vehicle is likely to cross the virtual violation line during the upcoming red light phase of the traffic signal, to generate a signal operative to control an indicator to warn cross traffic approaching the intersection not to enter the intersection.

Claim 1 of the '808 patent does not teach a virtual violation line interface for receiving data defining a virtual violation line from a user; a storage device for storing a representation of the intersection and the virtual violation line; at least one camera for capturing images of a vehicle approaching the traffic signal at the intersection. '808 patent teaches a virtual violation line interface for receiving data defining a virtual violation line from a user (CL6, L11-13).

Claim 14 of the '808 patent teaches a storage device for storing a representation of the intersection and the virtual violation line; Claim 2 of the '808 patent teaches at least one camera for capturing at least one image of a vehicle approaching the traffic signal at the intersection. It would have been obvious to one of ordinary skill in the art to arrive at Claim 70 of the application from the elements of claim 1, 14 and 2 of the '808 patent and the description of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them and adding some limitations taken from the description.



Art Unit: 2123

22. Claims 72-80 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claims 2, 3, 7-12, 15 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 72-80 depend on the independent claim 70 and then include various limitations in the dependent claims. The independent claim 70 is taught by claim 1 and the descriptions of the '808 patent as discussed in Paragraph 21 above. The limitations in claims 72-80 are same or paraphrased variations of the limitations in claims 2, 3, 7-12, 15 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 72-80 of the application from the elements of claims 2, 3, 7-12, 15 of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them.

23. Claims 81-84 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 1 of U.S. Patent No. 6,281,808. Although the conflicting claims are not identical, they are not patentably distinct from each other.

Claim 81-84 depend on the independent claim 70 and then include various limitations in the dependent claims. The independent claim 70 is taught by claim 1 and the descriptions of the '808 patent as discussed in Paragraph 21 above. The limitation in claim 81 is taught at Fig. 5 and CL11, L45-46 and CL12, L39-40 of the '808 patent. The limitations in claims 82-84 are taught at CL5, L65 to CL6, L1 and Cl6, L14-15 of the '808 patent. It would have been obvious to one of ordinary skill in the art to arrive at Claims 81-84 of the application from the elements



Art Unit: 2123

of claim 70 and the descriptions of the '808 patent, since it requires only rearranging the limitations involved and paraphrasing them and adding some limitations from the description.

***Allowable Subject Matter***

24. Claims 4, 18, 56 and 71 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Conclusion***

***ACTION IS FINAL***

25. The terminal disclaimer filed on 4 November 2004 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of 6,281,808 is NOT accepted. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after

Art Unit: 2123

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

26. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Kandasamy Thangavelu whose telephone number is 571-272-3717. The examiner can normally be reached on Monday through Friday from 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Teska, can be reached on 571-272-3716. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-9600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should

Art Unit: 2123

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

K. Thangavelu  
Art Unit 2123  
January 23, 2005



KEVIN J. TESKA  
SUPERVISORY  
PATENT EXAMINER